

Institute for Fertilisers and Seeds

Finkenborner Weg 1a Tel.: +49 (0) 5151/9871-0
31787 Hameln Fax: +49 (0) 5151/9871-11
www.lufa-nord-west.de E-mail: ifd@lufa-nord-west.de



Analysis order for livestock and fish water, water for watering and culture media

Point of contact: Dr. Hoffmann +49 (0) 5151/9871-82
Ms Heutjer +49 (0) 5151/9871-33
Sample receipt: Mr Bollwitte +49 (0) 5151/9871-40

Receipt data (only to be filled in by laboratory):

Laboratory no.:
Date of receipt:
Order no.:
Order date:
Invoice no.:
Invoice date:

Contractor = Invoice recipient

Copy of the test report for:

Name, First name

Name, First name

Street, House no.:

Street, House no.:

Town / Postcode

Town / Postcode

Telephone:

Telephone:

E-mail / Fax

E-mail / Fax

Sample designation or number:

If necessary, please list further samples on separate consignment note.
The analysis has only a limited value when no proper sampling has taken place.
(see also "Notes regarding sampling of water and drinking water").

Scope of the analysis: (please tick, as of 12.06.2012)

- Basic measurement programme (if necessary on site)**
Colour, odour, conductivity, pH, oxygen, suspended particles, turbidity
- Livestock water, microbiological parameters (use sterile glass bottle!)**
Coliforms, Escherichia coli (E. coli), enterococci, total microbial count
- Livestock water, chemical parameters**
Ammonium, chloride, Fe, conductivity, nitrate, nitrite, oxidisability, pH, phosphate, salt content, sulphate
- Fish and pond water analysis I** (advisable: combination with basic measurement programme)
Ammonia, iron, oxidisability, acid capacity, °dH (German water hardness scale)
- Fish and pond water analysis II** (supplements Fish and pond water analysis I, basic programme)
BOD-5, Cu, COD, total hardness of water, conductivity, nitrite, phosphate, Zn
- Analysis of water for watering 1**
Carbonate hardness, chloride, Fe, total hardness of water, conductivity, pH
- Analysis of water for watering 2** (advisable: combination with water for watering analysis 1)
Ammonium, Na, Nitrate, P, sulphate
- Analysis of water for watering 3** (advisable: combination with water for watering analysis 1 and 2)
Al, B, Ca, Cu, K, Mg, Mn, Zn

Other requested parameters: _____

The programs can be adjusted to the situation and varied among each other. For this, please tick the required parameters. The sample volume must be at least 1 litre. For turbid solutions there will be a treatment surcharge.

The general terms and conditions of the LUFS Nord-West apply (see internet: www.lufa-nord-west.de). LUFA-Nord-West is an LWK Lower Saxony firm.

.....
Town

.....
Date

.....
Signature